

Presenters



Iris Liang
Product Line Manager, Sinks
Sloan Valve Company
Franklin Park, IL



Andrew Warnes
Technical Training Manager
Sloan Valve Company
Franklin Park, IL



Agenda

- Why is mobile handwashing needed?
- The Sloan response
- Introduction to Sloan Mobile Handwashing Stations
- Summary
- Q & A






Why is Mobile Handwashing Needed?

- Healthcare specialists generally cite handwashing as the single most effective way to prevent the transmission of disease.
- "This is one healthcare infection control measure that has successfully spread throughout the community"

Source: US Centers for Disease Control



Click on the CDC logo for detailed handwashing guidance and instructions





Why is Mobile Handwashing Needed?

- Access to proper handwashing required everywhere, even outside of the restroom
- Building owners and managers are concerned with providing safe, clean spaces
- The public is attuned to the need for handwashing facilities – even in nontraditional locations
- Many facilities can't afford to build additional bathrooms





Sloan's Response

Make hygiene available everywhere, not just in the restroom.

The <u>only</u> brand that offers fully self-contained models - no connection to external water or power supply required.

Upscale, intuitive designs that are

- Touch-free
- Durable
- BAA (Buy American Act) compliant





How can Sloan Mobile Handwashing Stations Help Your Facility?

- ✓ Promotes safety by enabling frequent handwashing outside the restroom
- ✓ Supports social distancing by decongesting the restroom
- ✓ Reduces the spread of germs by having completely touch-free operation
- ✓ Easily relocated handwashing where it's needed





Potential Locations



Stadiums



Office Buildings



Construction Sites





Retail



Fitness Centers



Manufacturing **Facilities**



Schools



Cafeterias & Restaurants



Military/Humanitarian Relief



Potential Locations

- Areas without restroom access
- Outside of restrooms
- Near entrances/exits
- Where food is served





Who Should be Aware of Mobile Handwashing Stations?

- Building owners
- Facility managers
- General contractors
- Property developers
- Government authorities having jurisdiction
- Specifiers





Sloan Mobile Handwashing Stations

Self-contained Units

MH-2000

Mobile Handwashing Station with SF-2250 Sensor-operated Faucet and Corian Sink Deck with Vitreous China Undermount Bowl



MH-3000

Mobile Handwashing Station with EFX-150 Sensor-operated Faucet and Stainless Steel Counter with Stainless Steel Drop-in Sink



Water Line Connected Units

MH-1000

Mobile Handwashing Station with SF-2250 Sensor-operated Faucet and Stainless Steel Counter with Stainless Steel Drop-in Sink



MH-1050

Mobile Handwashing Station with SF-2250 Sensor-operated Faucet and Stainless Steel Counter with Stainless Steel Drop-in Sink and Hot Water Heater



MH-3050

Mobile Handwashing Station with EFX-150 Sensor-operated Faucet and Stainless Steel Counter with Stainless Steel Drop-in Sink and Hot Water Heater





Thoughtful Design – Built to Last













Sloan SF-2250 or BASYS EFX-150 sensor-operated faucet based on the selected station model Corian sink deck with vitreous china undermount bowl or stainless steel deck with stainless steel drop-in sink based on selected station model Touchless enMotion paper towel dispenser

Purell CS-8 wallmounted foam soap dispenser Handle and trash bag holder

Lockable caster wheels



Thoughtful Design – Built to Last

All stations include:

- Back panel with handwash instructions
- 16 gallon (60 liter) greywater tank

Hot water heater, holder for two 5gallon water jugs, and other features available on select models.



Note: Cabinet front removed for illustration purposes only. Jugs not included.



MH-1000/1050

- Sink material: Stainless steel deck with stainless drop-in sink
- Touchless faucet: SF-2250 0.5 gpm
- Touchless wall soap dispenser: CS-8
- Touchless wall paper towel dispenser:
 EnMotion
- Caster wheels with locks
- Handle on left side for moving unit
- Trash bag holder
- 16 gallon (60 liter) greywater tank
- Optional water heater (1050 version)













Note: Some initial units will include a black paper towel dispenser.

MH-1000 Spec MH-1050 Spec



MH-1000/1050 Water and Power Options

· Water:

- External water supply (3/4" water connection)
- Manual drain only
- 16 gal gray water tank

Power:

- MH-1000: no power required
- MH-1050: AC power
- Note: AC power is a twist lock plug style. Male connection included, sites will need to purchase their own female connection.



Twist lock plug - supplied



Twist lock connector – site supplied

Power cords and water hoses are not included so that facilities can choose their own lengths.



MH-1000/1050

- Ideal for applications such as:
 - K-12
 - Universities
 - Food services
 - Cafeterias/Food courts
 - Gyms
 - Fitness clubs
- High use, indoor, economically driven locations
- Vandal-prone areas



Note: Some initial units will include a black paper towel dispenser.



MH-2000

Fully self-contained unit – no connection required

Sink Material: Corian

• Touchless faucet: SF-2250 0.5 gpm

Touchless wall soap dispenser: CS-8

• Touchless wall paper towel dispenser: EnMotion

Caster wheels with locks

Handle on left side for moving unit

Trash bag holder

16 gallon (60 liter) greywater tank

Battery level indicator on front of sink


























MH-2000 Color Options

- Standard sink material: Corian Silver Gray
- Standard powder coat color: Gray Texture (PMS 431C)
- Optional sink deck materials:
 - Glacier White
 - Linen
 - Sandstorm
 - Cameo White
- Optional enclosure colors:
 - Light Gunmetal Gray
 - Blue Texture
 - Bronze Hammer
 - Black



Corian Silver Gray



Corian Glacier White



Corian Linen



Corian Sandstorm



Corian Cameo White



MH-2000 Water and Power Options

Water:

- External water or 2 5 gal water jug (both set ups included)
- Manual drain and pump powered drain
- 16 gal gray water tank

Power Options:

- DC power (battery charge daily)
- AC power (back-up)
- Note: AC power is a twist lock plug style. Male connection included, sites will need to purchase their own female connection.



Twist lock plug - supplied



Twist lock connector – site supplied

Power cords and water hoses are not included so that facilities can choose their own lengths.



MH-2000

- Ideal for applications such as:
 - Stadiums/Arenas
 - Malls
 - Retail
 - Offices
 - Cafes
 - Grocery stores
 - Gyms/Fitness clubs
 - Cafeterias/Food courts
- High use, indoor, higher-end locations



Note: Some initial units will include a black paper towel dispenser.



MH-3000/3050

 MH-3000 is a fully self-contained unit – no connection required

• Sink material: Stainless steel

• Touchless faucet: EFX-150 0.5 gpm

• Touchless soap dispenser: CS-8

Touchless wall paper towel dispenser: EnMotion

Caster wheels with locks

- Fork lift feature
- Trash bag holder
- 16 gallon (60 liter) greywater tank
- Battery level indicator on front of sink
- Optional water heater (3050 version)





















Note: Some initial units will include a black paper towel dispenser.



MH-3000/3050 Water and Power Options

· Water:

- MH-3000: External water or 2 5 gal water jug (both set ups included)
- MH-3050: External water only
- Manual drain and pump powered drain
- 16 gal gray water tank

Power Options:

- MH-3000: DC power (battery charge daily) or AC (back-up)
- MH-3050: AC power
- Note: AC power is a twist lock plug style. Male connection included, sites will need to purchase their own female connection.



Twist lock plug - supplied



Twist lock connector – site supplied

Power cords and water hoses are not included so that facilities can choose their own lengths.



MH-3000/3050

- Ideal for applications such as:
 - Factories
 - Warehouses
 - Construction sites
 - Schools
- High use, indoor/outdoor areas, requiring top-of-the-line performance and appearance
- Vandal-prone areas



Note: Some initial units will include a black paper towel dispenser.



Sloan Unit Summary

	Connections	Sink Type			Faucet Type		Soap Dispenser	Paper Towel Dispenser	Water and Drain Options			Power Options		Lifting	
	Self Contained or Water Line Connected	Stainless Sink	Corian Sink	Outdoor Unit	Sloan SF-2250	Sloan BASYS EFX-150	CS-8	Enmotion	Water Heater	16 Gal Gray Water Tank	2 - 5 Gal Water Jugs	Pump Drain	AC	DC	Fork lift Feature
MH-1000	Connected	/			/		/	/		/					
MH-1050	Connected	/							/	/					
MH-2000	Self Contained									/		/		/	_
MH-3000	Self Contained	/				/				/	/				
MH-3050	Connected								/		_	/	/		

Standard features on all models:



















Power and Water Supply Summary


Unit (with link)	Water Supply	Drain	Power	Faucet, Soap, and Towel Power
MH-1000	3/4" water hose connection	Manual ball valve with 3/4" water hose connection	No external connection.	Battery
MH-1050 (includes water heater)	3/4" water hose connection	Manual ball valve with 3/4" water hose connection	110V/60hZ twist lock AC connection	Battery
MH-2000 (self contained)	3/4" water hose connection or two 5 gallon water bottles	Manual ball valve with ¾" water hose connection & powered drain pump	Lithium Ion Battery or 110V/60hZ twist lock AC connection	Battery
MH-3000 (self contained)	3/4" water hose connection or two 5 gallon water bottles	Manual ball valve with ¾" water hose connection & powered drain pump	Lithium Ion Battery or 110V/60hZ twist lock AC connection	Battery
MH-3050 (includes water heater)	3/4" water hose connection	Manual ball valve with ¾" water hose connection & powered drain pump	110V/60hZ twist lock AC connection	Battery

Power cords and water hoses are not included so that facilities can choose their own lengths.




Sloan Differentiation

Standard



On Select Models




Sloan is the only manufacturer with fully self-contained units.













Find your local Sloan representative for more information

Sloan Rep Locator tool

- Local code knowledge
- Familiarity with existing sites
- Product knowledge
- Available for onsite consultation

Sloan Customer Care Center

Phone: 800.982.5839

Hours: 7:00 AM - 5:00 PM (CST) Monday - Friday

customer.service@sloan.com

Sloan Technical Support

P: 888.756.2614 F: 800.737.3061

techsupport@sloan.com









Upcoming Sloan Training Webinars



December 10th

Top Mount Sensor Flushometers – Part 3, Flushometer Care and Service 101



December 17th

Introducing the new Sloan "Clark Street" and "Rush Street" Faucet Collections



Training Comments, Questions, or Suggestions?

Andrew Warnes
Manager – Technical Training
Sloan Valve Company
10500 Seymour Avenue
Franklin Park, IL USA 60131-1259

Office: +1-800-982-5839

E-mail: training@sloan.com

Web: sloan.com

