

**OPTIONS****Flush Volume**

- 1.6 gpf (6.0 Lpf) (1.6)
- 1.28 gpf (4.8 Lpf) (1.28)

**Finish**

- Polished Chrome (CP)

**Activation**

- Manual

**Valve**

- Piston

**Water Efficiency**

- Low Consumption
- High Efficiency

**Fixture Type**

- Water Closet

**Fixture Connection**

- Top Spud

**Installation**

- Exposed

**Vacuum Breaker**

- Less (XYV)

**Adapter**

- XL Sweat Solder Adapter Kit (XL)

**Bumper**

- Angle Stop (YO)
- Angle Stop Extended (YG)

**Special Features**

- Whitworth Thread (WWT)

**Compliances & Certifications**

- ADA Compliant
- BAA Compliant
- Made in the USA
- cUPC Certified
- BABAA Compliant
- EPD
- HPD
- Satisfies LEED Credits
- cUPC Green Certified
- BREEAM Materials Credit



Image for a standard GEM-2 111 shown

**DESCRIPTION**

GEM-2® Exposed Manual Water Closet Flushometer

**FEATURES**

- Flush volumes start at 1.28 gpf/4.8 Lpf for greater water savings
- Fixed volume piston with filtered O-ring bypass and ADA-compliant, metal oscillating non-hold-open handle ensure reliable, water-efficient operation
- Integrity of the product is maintained with control stop plug
- Durability is facilitated with high copper, low zinc brass castings for dezincification resistance and components made from PERMEX® rubber compound for chloramine resistance
- Adjustable tailpiece
- Valve body, Cover, Tailpiece and Control Stop shall be in compliance with ASTM Alloy Classification for Semi-Red Brass
- Valve shall be in compliance to the applicable sections of ASSE 1037.

**DOWNLOADS**

- [GEM/GEM 2 Piston Type Exposed Installation Instructions](#)
- [Control Stop Repair and Maintenance Guide](#)
- [Flush Connections Flanges Repair and Maintenance Guide](#)
- [Tail Piece Repair and Maintenance Guide](#)
- [Gem 2 Repair and Maintenance Guide](#)
- [Additional Downloads](#)

Sloan 10500 Seymour Ave, Franklin Park, IL 60131

Phone: 800.982.5839 • Fax: 800.447.8329 • [sloan.com](http://sloan.com)

## **NOTES**

For product line drawings, [view model-specific spec sheets](#).

All information contained within this document subject to change without notice.