Gem 2 - Piston Flushometers by Sloan Valve Company

CLASSIFICATION: 10800

PRODUCT DESCRIPTION: THE GEM -2 IS A MANUAL EXPOSED FLUSHOMETER FOR FLOOR MOUNT OR WALL HUNG WATER CLOSETS. THE GEM-2 FLUSHOMETER CONTAINS A FIXED VOLUME PISTON WITH FILTERED O-RING BYPASS AND ADA-COMPLIANT AND METAL OSCILLATING NON-HOLD-OPEN HANDLE THAT ENSURES RELIABILITY AND WATER EFFICIENT OPERATION.

Health Product Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT INVENTORY		Based on the selected Content Inventory Threshold:		
Threshold per material	Residuals and impurities considered in	Characterized Are the Percent Weight and Role provided for all substances?	⊙ Yes	O No
 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSDS 	1 of 1 materials • see Section 2: Material Notes	Screened Are all substances screened using Priority Hazard Lists with results disclosed?	⊙ Yes	O No
O Per OSHA MSDS O Other	● see Section 5: General Notes	Identified Are all substances disclosed by Name (Specific or Generic) and Identifier?	⊙ Yes	O No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

GEM-2 FLUSHOMETER [COPPER LT-UNK ZINC LT-P1 | AQU | MUL | PHY 304 STAINLESS STEEL UNK BRASS UNK TIN LT-UNK ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER LT-UNK UNDISCLOSED CHEMICAL #1 UNK POLYETHYLENE LT-UNK POLYETHYLENE LT-UNK UNDISCLOSED CHEMICAL #2 LT-1 | CAN | MUL LEAD LT-1 | MAM | AQU | DEV | REP | CAN | PBT | MUL | END | GEN STAINLESS STEEL UNK ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK] Number of Greenscreen BM-4/BM3 contents.......... 0

Contents highest concern GreenScreen Benchmark or List translator Score......LT-1 Nanomaterial......No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

VOC Content data is not applicable for this product category.

 Self-Published* VERIFIER: SCREENING DATE: February 13, 2017 EXPIRY DATE*: February 13, 2020
 Third Party Verified VERIFICATION #: RELEASE DATE: March 3, 2017 * or within 3 months of significant change in product conten *See HPDC website for details This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

COPPER			ID: 7440-	50-8
%: 68.6500 - 68.6500	GS: LT-UNK	RC: None	NANO: NO	ROLE: Body Structur Component
HAZARDS:		AGENCY(IE	S) WITH WARNINGS	S:
None Found		No warnings	found on HPD Priori	ty lists
SUBSTANCE NOTES:				
ZINC			ID: 7440-	66-6
%: 13.0300 - 13.0300	GS: LT-P1	RC: None	NANO: NO	ROLE: Body Structure Component
HAZARDS:		AGENCY(IE	S) WITH WARNINGS	S:
ACUTE AQUATIC	EU - R-phras	Ses	R50 - Very Toxi	c to Aquatic Organisms
ACUTE AQUATIC	EU - GHS (H	I-Statements)	H400 - Very tox	ic to aquatic life
CHRON AQUATIC	EU - GHS (H	I-Statements)	H410 - Very toxi effects	ic to aquatic life with long lastir
MULTIPLE	German FEA	A - Substances Hazardous to Waters	s Class 2 - Hazaro	d to Waters
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire spontaneously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H260 - In contact with water releases flammable gases which may ignite spontaneously	
SUBSTANCE NOTES:				
304 STAINLESS STEEL			ID: 12597	²-68-1
%: 7.8300 - 7.8300	GS: UNK	RC: None	NANO: NO	ROLE: Body Structure Component

AGENCY(IES) WITH WARNINGS:			3:		
None Found		No	warnings found on HPD Priorit	y lists	
SUBSTANCE NOTES:					
BRASS			ID: 12597	-71-6	
%: 4.8900 - 4.8900	GS: UNK	RC: None	NANO: NO	ROLE: Body Structure Component	
HAZARDS:		AG	ENCY(IES) WITH WARNINGS	S:	
None Found		No	warnings found on HPD Priorit	y lists	
SUBSTANCE NOTES:					
TIN			ID: 7440-3	31-5	
%: 1.8000 - 1.8000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Body Structure Component	
HAZARDS:		AG	AGENCY(IES) WITH WARNINGS:		
None Found		No	warnings found on HPD Priorit	y lists	
SUBSTANCE NOTES:					
ACRYLONITRILE-BUT/	ADIENE-STYRENE COP	POLYMER	ID: 9003-5	56-9	
%: 1.0700 - 1.0700	GS: LT-UNK	RC: None	NANO: NO	ROLE: Piston Cover Component	
HAZARDS:		AG	AGENCY(IES) WITH WARNINGS:		
None Found		No	No warnings found on HPD Priority lists		
SUBSTANCE NOTES:	Includes both Polylac PA	A-747 and PA-757			
UNDISCLOSED CHEMICAL #1			ID:		
%: 0.7400 - 0.7400	GS: UNK	RC: None	NANO: NO	ROLE: O-ring Component	
HAZARDS:		AG	ENCY(IES) WITH WARNINGS	3:	
None Found			No warnings found on HPD Priority lists		

			ID: 9002-8	8-4
%: 0.5000 - 0.5000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Insert Plug Component / Gasket Handle Component
HAZARDS:		AC	ENCY(IES) WITH WARNINGS	:
None Found		Nc	warnings found on HPD Priority	y lists
SUBSTANCE NOTES:				
POLYETHYLENE			ID: 9002-8	8-4
%: 0.5000 - 0.5000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Insert Plug Component / Gasket Handle Component
HAZARDS:		AC	ENCY(IES) WITH WARNINGS	:
None Found		Nc	warnings found on HPD Priority	y lists
SUBSTANCE NOTES:				
UNDISCLOSED CHEMI	ICAL #2		ID:	
%: 0.4500 - 0.4500	GS: LT-1	RC: None	ID: NANO: NO	ROLE: Filter Ring Component
				Component
%: 0.4500 - 0.4500		AC	NANO: NO	Component :
%: 0.4500 - 0.4500 HAZARDS:	GS: LT-1	AC	NANO: NO Sency(IES) with Warnings	Component : e cancer
%: 0.4500 - 0.4500 HAZARDS: CANCER	GS: LT-1 EU - R-phrase	AC es Statements)	NANO: NO SENCY(IES) WITH WARNINGS R45 - May cause H350 - May caus	Component : e cancer se cancer sgory 1B - Presumed Carcinogen
%: 0.4500 - 0.4500 HAZARDS: CANCER CANCER	GS: LT-1 EU - R-phrase EU - GHS (H-	AC es •Statements) 11 CMRs	NANO: NO SENCY(IES) WITH WARNINGS R45 - May cause H350 - May caus Carcinogen Cate based on animal	Component : e cancer se cancer sgory 1B - Presumed Carcinogen
%: 0.4500 - 0.4500 HAZARDS: CANCER CANCER CANCER	GS: LT-1 EU - R-phrase EU - GHS (H- EU - Annex V ChemSec - S	AC es •Statements) 11 CMRs	NANO: NO SENCY(IES) WITH WARNINGS R45 - May cause H350 - May cause Carcinogen Cate based on animal CMR - Carcinoge Toxicant Carcinogen Cate	Component Component cancer cancer cancer gory 1B - Presumed Carcinogen evidence
%: 0.4500 - 0.4500 HAZARDS: CANCER CANCER CANCER MULTIPLE	GS: LT-1 EU - R-phrase EU - GHS (H- EU - Annex V ChemSec - S	AC es -Statements) 'I CMRs IN List	NANO: NO SENCY(IES) WITH WARNINGS R45 - May cause H350 - May cause Carcinogen Cate based on animal CMR - Carcinoge Toxicant Carcinogen Cate should be regard	Component Compon

%: 0.2700 - 0.2700	GS:
--------------------	-----

LT-1

RC: None

NANO: NO

ROLE: Body Structure Component

HAZARDS:	AGENCY(IE	AGENCY(IES) WITH WARNINGS:			
MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)			
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed			
ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms			
DEVELOPMENTAL	EU - R-phrases	R61 - May cause harm to the unborn child			
REPRODUCTIVE	EU - R-phrases	R62 - Possible risk of impaired fertility			
DEVELOPMENTAL	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant			
CANCER	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen			
CANCER	IARC	Group 2a - Agent is probably Carcinogenic to humans			
CANCER	IARC	Group 2b - Possibly carcinogenic to humans			
CANCER CA EPA - Prop 65		Carcinogen			
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity			
РВТ	US EPA - Priority PBTs (NWMP)	Priority PBT			
PBT	WA DoE - PBT	РВТ			
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Female			
REPRODUCTIVE	CA EPA - Prop 65	Reproductive Toxicity - Male			
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinoge			
РВТ	US EPA - Priority PBTs (PPT)	Priority PBT			
РВТ	US EPA - Toxics Release Inventory PBTs	РВТ			
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action			
РВТ	OR DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1			
EVELOPMENTAL US NIH - Reproductive & Developmental Monographs		Clear Evidence of Adverse Effects - Developmental Toxicity			
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Reproductiv Toxicity			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life			
CHRON AQUATIC EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects			

DEVELOPMENTAL	EU - GHS (H-	Statements)		H360Df - May damage the unborn child. Suspected of damaging fertility		
REPRODUCTIVE	EU - GHS (H-	Statements)	H360Fd - May dan damaging the unbo	H360Fd - May damage fertility. Suspected of damaging the unborn child		
DEVELOPMENTAL	EU - GHS (H-	Statements)	H362 - May cause	H362 - May cause harm to breast-fed children		
REPRODUCTIVE	EU - REACH	Annex XVII CMRs	known to impair fe	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans		
MULTIPLE	ChemSec - SI	IN List	CMR - Carcinogen Toxicant	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
ENDOCRINE	TEDX - Poten	tial Endocrine Disruptors	Potential Endocrine	e Disruptor		
CANCER	МАК		Carcinogen Group carcinogenic for m	2 - Considered to be an		
GENE MUTATION	MAK		Germ Cell Mutage	n 3a		
REPRODUCTIVE	EU - Annex V	I CMRs	Reproductive Toxic	city - Category 1A		
SUBSTANCE NOTES:						
STAINLESS STEEL			ID: 12597-68	8-1		
%: 0.1900 - 0.1900	GS: UNK	RC: None	NANO: NO	ROLE: Body Structure Component		
HAZARDS:	HAZARDS: AGENCY(IES) WITH WARNINGS:					
None Found	No warnings found on HPD Priority lists					
SUBSTANCE NOTES: Identified as Stainless Steel 316						
ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) ID: 25038-36-2						
%: 0.1400 - 0.1400	GS: LT-UNK	RC: None	NANO: NO	ROLE: O-ring Component		
HAZARDS:		AG	ENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			ists		
SUBSTANCE NOTES:						

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or

environmental performance testing or certifications completed for the product may be provided.



This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes

The models bracketed into the GEM-2 flushomerter HPD include: GEM 2 111-1.28, GEM 2 113-1.28, GEM 115-1.28, GEM 2 116-1.28, GEM 2 186-0.125, GEM 2 186-0.25 and GEM 2 186-0.5

MANUFACTURER INFORMATION

MANUFACTURER: Sloan Valve Company

ADDRESS: 10500 Seymour Ave Franklin Park, IL 60131 USA

WEBSITE: www.sloan.com

CONTACT NAME: Patrick Boyle TITLE: Director, Corporate Sustainability PHONE: 847-233-2082 EMAIL: patrick.boyle@sloan.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet Globally Harmonized System of Classi cation and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspeci ed (insu cient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party) Independent Lab Manufacturer's self-declaration using results from an independent lab Second Party Verification by trade association or other interested party Third Party Verification by independent certifier Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.

PHY Physical Hazard (reactive)
REP Reproductive toxicity
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
LAN Land Toxicity
NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) UNK Unknown (no data on List Translator Lists)