


FLUSHOMETER PERFORMANCE IN A TANK TOILET





Sloan pressure-assisted toilets are perfect for:



Pressure-assisted flushing gives you the performance you want when you can't install a flushometer. For the style and dependability you trust, make sure your toilet says **Flushmate**[®] in the tank and **Sloan**[®] on the china.



ADVANTAGES OF SLOAN PRESSURE-ASSISTED TOILETS

Your Sloan pressure-assisted toilet looks like an ordinary tank-type toilet, and it works the typical way. Its performance, however, is anything but ordinary.

Contractors



Fewer "double flushes," because the higher pressure clears the drainline on the first flush.



No tank condensation due to the insulating properties of the pressure vessel.



Virtual elimination of tank rocking due to three-point tank mounting, which also allows a tighter, more reliable gasket seal that minimizes leaks and damaged parts.



Even the highest-traffic toilets will be far less likely to back up or clog, because the pressure supplied by the Flushmate® vessel pushes waste out of the bowl and into the drainline far faster than a gravity flush.

Sloan pressure-assisted toilets are ideal for renovations because you can easily upgrade from a standard gravity toilet to a superior pressure-assisted toilet.





WHEN YOU CAN'T INSTALL FLUSHOMETERS...

... Sloan pressure-assisted toilets are a simple, cost-effective alternative.

- They install exactly the same way as gravity toilets and require the same basic water supply pressure (20–25 psi).
- They require no extra infrastructure at all, making them ideal for renovation or replacement as well as new construction.
- Yet they deliver performance similar to flushometer toilets even at flush volumes as low as 1 gallon per flush.

No one handles pressure like Sloan

Sloan invented pressurized flushing more than 110 years ago and is the world leader in flushometer innovation. Our pressure-assisted toilets deliver flushometer performance at low flush volumes with basic plumbing requirements.

Available pressure-assisted toilet options

- Standard and ADA-compliant toilets available
- Three flush volumes (1.0, 1.28 and 1.6 gpf)
- Left or right flush handles
- Elongated bowl with siphon jet flushing action
- Standard 12" rough-in
- Compliances available: ADA, BAA, CalGreen*, CEC*, cUPC GREEN*, NOM, WaterSense*
- Bowls and tanks sold separately or as a combo for Buy America Act compliance
- Bowls with SloanTec® hydrophobic glaze available

Contact your Sloan sales rep to learn more about Sloan's pressure-assisted toilet with Flushmate® vessel or contact Sloan customer support at 800.982.5839.





^{*1.0} and 1.28 gpf only



sloan.com/pressureassist | 800.982.5839

World Headquarters | 10500 Seymour Avenue | Franklin Park, IL 60131 | U.S.,/ ©2018 Sloan Valve Company. All Rights Reserved. Sloan* and Flushmate* are registered trademarks of Sloan Valve Company.