

## Faucet and Soap Dispenser Full Line

Functional elegance by design

# A full line of faucets and soap dispensers to meet your needs

Selecting a faucet and soap dispenser for commercial applications is no simple task. The faucet and soap dispenser represent a critical point of interaction — the culmination of a positive, hygienic experience that begins with a designer or architect's vision. For maintenance teams, facility managers, engineers, and contractors, it's all about reliability, ease of installation, and time savings.

As the inventor of sensor-operated faucet technology, Sloan has created the most comprehensive line of electronic sensor faucets and soap dispensers for the widest array of applications. With more styles, designs, and options than any other manufacturer in the business, it's easy to find the perfect solution to meet all your needs while staying within budget.



#### Premier

Our premier product line features fully-customizable, durable hardware and includes hidden sensors for a clean aesthetic. Each premiere faucet is available in our full range of special finishes and has matching soap dispensers and hand dryers to complete your restroom vision.

Matching hand dryers available for use with AER-DEC<sup>®</sup> Integrated Sink System.



#### Deluxe

Discover our range of deluxe touch-free faucets and soap dispensers that bring elegant, fluid forms to any restroom design. Select deluxe faucets are available with matching soap dispensers and come in a full range of special finishes.



#### Standard

Our tried and true standard faucets and soap dispensers offer affordability — without sacrificing performance.



#### Legacy

Our original line of sensoroperated faucets. These products are hard-working and vandal-resistant to keep facilities in working order.

#### The Complete Commercial Restroom

Our sensor faucets and soap dispensers perfectly complement all of our sinks, hand dryers, flushometers, water closets, urinals, and more to complete your commercial restroom.

Optima® ETF-410 Faucet and ESD-410 Soap Dispenser in Polished Brass on SloanStone® ELGR-84000 Gradient Sink in SloanStone Matrix White with angled stainless steel enclosure.

0

1







**Special Finishes** 

Add the finishing touch to your project

## **Special Finishes**

Elevate your next commercial restroom design with our exciting range of special finishes to help create a unified restroom experience. With our special finishes available for faucets, soap dispensers, hand dryers, and flushometers, you can ensure a consistent color match between products.

#### BENEFITS

- Ensures matching finishes across restroom fixtures
- Creative flexibility for architects and designers
- Durable and stain resistant
- No additional lead time for products that are part of Sloan's special finish program




#### Make a bold statement with Polished Brass.

Create the aura of high-end luxury and transform your space with Polished Brass. This warm finish will catch the eye of everyone who walks in the room.

#### Revitalize your environment with Brushed Nickel.

With fewer fingerprints and water marks left behind, the Brushed Nickel finish remains sharp and clean even after high-traffic use in any environment.



#### Keep it clean and efficient with Brushed Stainless.

The Brushed Stainless finish hides most fingerprints and water marks, keeping your restroom clean no matter the environment.



## Blend into the design with Graphite.

The Graphite finish blends in with any contemporary setting where a sleek and sophisticated look is desired.




#### Get more durability and consistency with Sloan's proprietary Physical Vapor Deposition (PVD) special finishes.

Sloan's proprietary Physical Vapor Deposition (PVD) special finish process enhances our products' resistance to chemicals and abrasion by bonding the finish at the molecular level. This innovative technology is an essential solution for curved and angled products that are difficult to coat. When compared to powder coating or immersion processes that are typically used, the durability of PVD ensures a long-lasting finish that will stand up to commercial use.

Shown opposite left: BASYS® EFX-250 Faucet and ESD-500 Soap Dispenser in Polished Brass on Designer Series™ DSOF-82000 Open Front Sink in Corian® Silver Birch with cabinet style enclosure in Wilsonart® Wheat Berry laminate.

Shown opposite right: Optima\* ETF-420 Faucet and ESD-420 Soap Dispenser in Brushed Nickel on Designer Series DSCT-82000 Counter Top Sink in Corian Designer White.

Shown opposite bottom: Optima EAF-250-ISM Faucet and ESD-2000 Soap Dispenser in Graphite on Designer Series DSWD-82000 Weir Deck Sink in Corian Glacier White with optional stainless basin grate and cabinet style enclosure in Wilsonart Black laminate.



## Simply connect to monitor and adjust with the Sloan Connect® App.

Adjust and configure your Sloan Bluetooth-connected faucets from your smartphone, and see how your fixtures are performing. Quickly adjust settings wirelessly to reduce maintenance time and cost. Access technical data, and share diagnostic reports for swift and easy maintenance and troubleshooting.

Download the free Sloan Connect App for iOS and Android.



#### FEATURES AND BENEFITS

- Adjust settings wirelessly (no deck disassembly or below-deck work required)
- Select on-demand or metered activation
- Set faucet timeouts
- Activate line flush to clear supply lines or drains
- Measure and report water usage
- Check battery strength
- · Identify your faucet and access technical data
- Generate and share diagnostic reports with Sloan
- Save notes about site or faucet



## **Optima®** Control Box

Meet the revamped Optima Faucets from Sloan. The most innovative water management system on the market has fewer parts and more standardized components, helping to reduce installation and maintenance by 50% or more.

At first glance, you'll see that new technology means fewer cords and fewer hoses. The same control unit can be powered by batteries, hardwire with battery backup, or optional hybrid energy turbine.

#### FEATURES AND BENEFITS

- Accepts 6 VAC or 24 VAC power supply
- Removable battery cartridge for easy replacement
- Plug and play connection with shielded cables
- Dual inlet filter fitting contains a built-in water filter and allows for hot and cold water mixing
- Easy inlet and outlet installation
- Up to 6 faucets can be connected to a single power source
- Provides Bluetooth connectivity to faucets

## Add Bluetooth connectivity to your new or existing BASYS® EFX and hardwired Optima EAF Faucets.

Give your BASYS EFX and hardwired Optima EAF Faucets a smart upgrade with our easily installed EAF-1025 Bluetooth Adapter. It installs under the deck with plug-and-play convenience. Simply connect the adapter into the faucet cable, and the firmware will automatically update.

Note: Optima ETF/EBF Faucets have Bluetooth capability integrated. No adapter needed.



### **Power options**

With four power options, you have total flexibility with your application needs. Narrow faucets down by the ideal power type on our faucet filter page at **sloan.com/faucets**.



#### Battery

A good option for retrofit environments or installations where hardwiring is not available.



Solar An excellent choice to passively harvest power and extend battery life

light sources.

from artificial or natural



#### Hardwired

Ideal for new construction because it eliminates regular use of disposable batteries. Many hardwired models include a battery back-up to eliminate loss of function if power loss occurs.



#### Turbine

Miniaturized hydroelectric turbines extract power from moving water and use it to extend battery life.



### Above- or below-deck

Sloan offers a broad range of faucet options to meet your maintenance needs. Our faucets with abovedeck access allow maintenance personnel to replace key components such as batteries and solenoids. You can even shut off the water without having to go under the deck. This helps alleviate labor, cost, and facility down-time should issues arise.

We also offer an extensive line of below-deck faucet and soap dispenser options that help improve your existing facility.

- Above-deck Options: 7 faucet lines
- Below-deck Options: 18 faucet lines

Optima® ETF-420 Faucet and ESD-420 Soap Dispenser in Graphite on Designer Series™ DSG-84000 Gradient Sink in Corian® Silver Birch with cabinet style enclosure in Wilsonart® Shadow Zephyr laminate.

## New Top-fill ESD-360 Soap Dispenser and PURELL<sup>®</sup> REDIFOAM<sup>™</sup> Soap

Our new Top-fill ESD-360 Soap Dispenser offers an easily refillable system that is the only closed, top-fill soap dispenser on the market.

#### FEATURES AND BENEFITS

- Facility managers and maintenance staff will appreciate staying out from underneath the sink to refill the soap dispenser
- Top-fill design reduces labor time and helps eliminate safety concerns
- Our patented refill bottle locks into place, allowing for hands-free refills without the risk of overflow and ensures the entire contents of the refill bottle can be used so no soap is wasted
- All-metal components built to handle the higher traffic commercial settings
- Choose the right power option for your location, including AC adapters, hardwired, or batteries

#### PURELL<sup>®</sup> REDIFOAM<sup>™</sup> in parternship with Sloan

#### FEATURES AND BENEFITS

- Foam is created at the point of dispensing, so the system doesn't lose its prime, providing the perfect foam every time even during diminished occupancy
- Our easy fill soap dispenser works in tandem with the 2000mL refill for PURELL<sup>®</sup> REDIFOAM<sup>™</sup> Healthy Soap formula that eliminates the risk of the dispenser clogging
- Never run out of or waste soap with the ability to quickly top off the soap dispenser
- The soap is free of harsh preservatives, antibacterials, parabens, phthalates, fragrances, dyes and the refill bottle is fully recyclable







## **Optimix®** Faucets

Sloan's Optimix-enabled faucets offer the industry's fastest, most effective in-spout ASSE 1070 compliant anti-scald technology—even with a cold water failure.

#### FEATURES AND BENEFITS

- Meets anti-scald requirements of ASSE 1070
- Maintains water temperature stability if cold water fails
- Integrated Thermostatic Mixing Valve makes installation quick and hassle-free
- Mixer lever can be set to the desired temperature and removed for tamper resistance
- Meets all US (UPC and IPC) plumbing code requirements
- Available in hardwired, battery, and the only solar-powered anti-scald faucet in the industry

## Premier

Elegant forms. Enhanced customizations. Our premier faucets, soap dispensers, and hand dryers feel right at home with classic and contemporary restroom designs. Use all three fixtures with the AER-DEC® Integrated Sink System, or pair just the faucet and soap dispenser on our Designer Series™ or SloanStone® Sinks.

> Available as part of the Clark Street<sup>®</sup> Collection Learn more at sloan.com/collections

## New Optima® ETF-410/ ETF-810 and EBF-415/ EBF-815 Faucets and ESD-410 Soap Dispenser

Bring finely crafted geometric forms into your next project with our new touch-free faucets and soap dispensers. The smooth curves and defined angles make this pairing ideal for catching light and turning heads. See them as a complete restroom offering in our Clark Street<sup>®</sup> Collection. Now available with wall-mounted option.

All premier faucet and soap dispenser variations shown on page 18.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm or 0.5 gpm/1.9 Lpm flow rates
- Multi-laminar spray type
- Battery or hardwired with battery back-up
- For use with the Optima Control Box
- Manage settings with the Sloan Connect® App

#### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- GOJO refills available at 1500 or 2300ml
- Comes with two bottles of 1500ml soap



**Special finishes:** In addition to our standard finish, Polished Chrome, our Optima ETF-410/ETF-810 and EBF-415/EBF-815 Faucets, and ESD-410 Soap Dispenser can be ordered with special finishes found on page 5.

**AER-DEC® Integration:** Available for use with AER-DEC Integrated Sink System in 2023. Contact Sloan for additional information.


Shown: Optima EBF-815 Faucet and ESD-410 Soap Dispenser in Polished Chrome on Designer Series<sup>™</sup> DSG-82000 Gradient Sink in Silestone<sup>®</sup> Poblenou.

Shown opposite: Optima ETF-410 Faucet and ESD-410 Soap Dispenser in Graphite on Designer Series DSOF-84000 Open Front Sink in Corian® Deep Cloud with cabinet style enclosure in Wilsonart® Blackbird laminate.

## New Optima® ETF-420/ETF-820 and EBF-425/EBF-825 Faucets and ESD-420 Soap Dispenser

Find inspiration for your next design in the organic, modern aesthetic of our latest touch-free faucet and soap dispenser pairing. See them as a complete restroom offering in our Rush Street® Collection. Express your vision and expand your portfolio through a unified restroom design. Now available with wall-mounted option.

All premier faucet and soap dispenser variations shown on page 18.




**Special finishes:** In addition to our standard finish, Polished Chrome, our Optima ETF-420/ ETF-820 and EBF-425/EBF-825 Faucets, and ESD-420 soap dispenser can be ordered with special finishes found on page 5.

**AER-DEC® Integration:** Available for use with the AER-DEC Integrated Sink System in 2023. Contact Sloan for additional information.

Shown: Optima EBF-825 Faucet and ESD-420 Soap Dispenser in Graphite on Designer Series<sup>™</sup> DSG-82000 Gradient Sink in Silestone® Posidonia Green.

Shown opposite: Optima ETF-420 Faucet and ESD-420 Soap Dispenser in Polished Brass on SloanStone® ELGR-82000 Gradient Sink in SloanStone White with cabinet style enclosure in Wilsonart® Sumner Oak.



#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm or 0.5 gpm/1.9 Lpm flow rates
- Multi-laminar spray type
- Battery or hardwired with battery back-up
- For use with the Optima® Control Box
- Manage settings with the Sloan Connect  $\ensuremath{^\circ}$  App

#### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- GOJO refills available at 1500 or 2300ml
- Comes with two bottles of 1500ml soap

Available as part of the Hubbard Street\* Collection. Learn more at sloan.com/collections

PREMIER

## BASYS® EFX Faucets with matching ESD-400/ESD-500 Soap Dispensers

Sleek and modern interchangeable BASYS Faucet components and elegant automatic soap dispensers pair the latest in handwashing technology with clean design. The versatile design can meet the needs of any application or environment—from aesthetics to sensor type and flow rate. The BASYS Hand Dryer perfectly complements the faucet and soap dispenser for a total handwashing solution.

All premier faucet and soap dispenser variations shown on page 18.



**Special finishes:** In addition to our standard finish, Polished Chrome, our BASYS line including deck-mounted hand dryer can be ordered with special finishes on page 5.

Shown above and opposite: BASYS EFX-250 Faucet, ESD-400 Soap Dispenser, and EHD-510 Deck-mounted Hand Dryer on AER-DEC\* AD-82000 Sink in Corian\* Blue Pebble with cabinet style enclosure in Wilsonart\* Neo Walnut laminate.

#### FAUCET FEATURES

- Available with 0.5 gpm/1.9 Lpm or 1.5 gpm/5.7 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery, hardwired with battery back-up, solar, or turbine powered
- Manage settings with the Sloan Connect® App with optional BT adapter (sold separately)
- All serviceable components above-deck
- Optional LCD display for a guided handwashing experience

#### SOAP DISPENSER FEATURES

- Hardwired for ESD-400. Battery or hardwired (with purchase of AC adapter sold separately) for ESD-500
- Foam soap dispensers
- Delivers pre-measured foam soap "on demand"
- Ships with 2 GOJO 1500ml refills (ESD-500 only)




## Customize your product with an engraved crown

Sloan's laser-etched engraved crowns offer the final touch to the complete brand story and make your commercial restroom truly unique. Add corporate logos, team names, venue names, or even design patterns to the faucet crowns — the possibilities are limitless.

Engravings are available on Polished Chrome BASYS EFX Faucets with bowed (plain) crowns.

Cubs logo not available for retail sale unless approved by Major League Baseball.



#### 1. Battery caddy

Easily accessible and watertight.

#### 2. Valve caddy/water shut-off

Shuts off water supply with one twist, without having to go below the sink.

#### 3. Solenoid + filter

Bi-stable solenoid with integrated filter.

#### **4. Removable crown** Upgrade product features

in seconds.

#### 5. External indicators

Individual external diagnostic LEDs help quickly identify faucet status.

#### 6. Exchange tool + spray insert

Allows operators to remove, clean, and replace the spray.

## A world of options

BASYS® is centered on a robust system of shared features and components. This fundamentally different approach revolutionized the commercial plumbing industry by streamlining service and advancing the user experience.

#### **Above-deck controls**

Easy, above-deck access to key components is the standard for all BASYS models. The on-board electronics are completely sealed within each faucet's modular crown, which can be removed with a single Allen wrench.

#### Interchangeable crowns

Interchangeable crowns help tailor a product to fit the unique needs of a particular installation.





# ß

Bowed A clean, bowed crown is the standard for all models. It provides a smooth, sleek appearance. Solar panels embedded in the crown draw power from artificial and natural light sources.

#### Guided Handwashing

The LCD display instructs users how to perform a CDC-compliant hand wash.

#### Flow rates and spray types

Three spray types provide options to adjust the flow rate, look, and feel of the water.






Aerated

1.5 gpm



Laminar 1.5 gpm

Multi-laminar 0.5 gpm



## BASYS® Guided Handwashing Faucet

The BASYS LCD display guides users through the CDCcompliant handwashing steps to improve hygiene:

#### 1. Wet

Wet your hands with clean, running water

#### 2. Lather

Lather your hands together with soap

#### 3.Scrub

Scrub your hands for at least 20 seconds

#### 4. Rinse

Rinse your hands well under clean, running water

#### 5. Dry

Dry your hands completely

The guided handwashing prompts are gentle suggestions for users to follow and do not limit the usage of the faucet.



#### Retrofit any BASYS to include timed, guided handwashing.

Interchangeable crowns help tailor a product to fit the unique needs of a particular installation. Crowns are interchangeable with models that utilize the same method of sensing. Any BASYS Faucet can be retrofitted with the timed display crown.

### Optima® ETF-410/EBF-415 Faucets and ESD-410 Soap Dispenser



Low-height Faucet ETF-410 Hardwired EBF-415 Battery

Available in 5 finishes \* Bluetooth-enabled



Wall-mounted Faucet ETF-810 Hardwired EBF-815 Battery

Available in 5 finishes Bluetooth-enabled




Soap Dispenser ESD-410 Battery Available in 5 finishes



**ESD-411** Combination Includes EBF-415 Faucet and ESD-410 Soap Dispenser

Available in Polished Chrome

## Optima ETF-420/EBF-425 Faucet and ESD-420 Soap Dispenser



Available in Polished Chrome

Bluetooth-enabled refers to the technology built directly into the hardware of the faucet. ∦

\* Bluetooth-enabled

Bluetooth with adapter refers to the faucet being Bluetooth capable with the addition of the Bluetooth Adapter found on page 7.

**\*** Bluetooth-enabled

## BASYS® EFX Faucets with matching ESD-400/ESD-500 Soap Dispenser



Low-height Faucet EFX-300 Hardwired EFX-350 Battery EFX-375 Battery + solar EFX-377 Battery + solar + guided handwashing EFX-380 Battery + turbine

Available in Polished Chrome

Bluetooth with adapter



Low-height with Integrated Base Faucet EFX-600 Hardwired EFX-650 Battery EFX-675 Battery + solar EFX-677 Battery + solar + guided handwashing EFX-680 Battery + turbine

Available in Polished Chrome **\*** Bluetooth with adapter



Mid-height Faucet EFX-200 Hardwired EFX-250 Battery EFX-275 Battery + solar EFX-277 Battery + solar + guided handwashing EFX-280 Battery + turbine

Select items available in 5 finishes Bluetooth with adapter



#### **High Faucet**

EFX-100 Hardwired EFX-150 Battery EFX-175 Battery + solar EFX-177 Battery + solar + guided handwashing EFX-180 Battery + turbine

Available in Polished Chrome **\*** Bluetooth with adapter



Wall-mounted Faucet
EFX-800 Hardwired
EFX-850 Battery
Available in Polished Chrome
Bluetooth with adapter



Soap Dispenser ESD-400 Hardwired Available in 5 finishes




Soap Dispenser ESD-500 Hardwired Available in 5 finishes



ESD-501 Combination Includes EFX-250 Faucet and ESD-500 Soap Dispenser Available in Polished Chrome

## Deluxe

Our deluxe faucets and soap dispensers bring a wide range of design concepts into aesthetic harmony and feature reliable and efficient technology built for any application. Pair these faucets with a soap dispenser and add to any of our Designer Series<sup>™</sup> or SloanStone<sup>®</sup> Sinks.



## Optima<sup>®</sup> EAF-100/EAF-150 Series Faucets and ESD-1500 Soap Dispenser

This faucet and soap dispenser pairing captures the dynamic nature of water using simple forms. Behind the scenes, these precisely-engineered faucets and soap dispensers offer sensor operation that helps you maintain a better facility.

All deluxe faucet and soap dispenser variations shown on page 26.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- · Battery or hardwired
- Hardwired units can use optional BT adapter for Sloan Connect® access
- EAF44 power splitter included with select models

#### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Compatible with 1500 or 2300ml refill sizes
- · Ships with 2 soap refills

Shown above: Optima EAF-100 Faucet and ESD-1500 Soap Dispenser on Designer Series™ DSCT-86000 Counter Top Sink in Corian® Blue Pebble with SS-3021 Undermount Lavatory with angled enclosure in stainless steel.

Shown opposite: Optima EBF-85 Faucet with ESD-800 Soap Dispenser on Designer Series DSOF-82000 Open Front Sink in Corian® Designer White.



## Optima® EAF-200/EAF-250/ EAF-275/EAF-225 Series Faucets and ESD-2000 Soap Dispenser

Sturdy and cylindrical, our faucets and soap dispensers combine sleek curves with a defined profile. This pairing can bring a welcome touch of elegance to mass-market concepts or fit comfortably into the most exclusive facilities.

All deluxe faucet and soap dispenser variations shown on page 26.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery, hardwired, or solar powered
- Hardwired units can use optional BT adapter for Sloan Connect® access

#### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Compatible with 1500 or 2300ml refill sizes
- Ships with 2 soap refills

Shown above: Optima EAF-250-ISM Faucet and ESD-2000 Soap Dispenser in Graphite on Designer Series<sup>™</sup> DSWD-82000 Weir Deck Sink in Corian® Glacier White with cabinet style enclosure in Wilsonart® Black laminate.

Shown opposite: Optima EAF-350 in Graphite on SloanStone® ELA-81000 Arrowhead Sink in SloanStone White.

## Optima<sup>®</sup> EAF-300/EAF-350 Series Faucets


Timeless faucet design meets wireless technology with our Optima EAF-300/EAF-350 Series Faucets. This hardware is the perfect fit for any facility. Best of all, this series takes high-tech touches anywhere with long-lasting battery-powered components.

All deluxe faucet and soap dispenser variations shown on page 26.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated or multi-laminar spray types
- Battery or hardwired
- Hardwired units can use optional BT adapter for Sloan Connect<sup>®</sup> access





## Optima® ETF-80/EBF-85 Faucets and ESD-800 Soap Dispenser

Durable construction. Smooth, curvaceous design. Our Optima ETF-80/EBF-85 Faucets and ESD-800 Soap Dispensers give you the freedom to define flow rate while complementing design concepts from classic to contemporary.

All deluxe faucet and soap dispenser variations shown on page 26.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery or hardwired with battery back-up
- For use with the Optima Control Box
- Manage settings with the Sloan Connect<sup>®</sup> App

#### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- · Compatible with 1500 or 2300ml refill sizes
- Ships with 2 soap refills

Shown above: Optima EBF-85 Faucet and ESD-800 Soap Dispenser in Polished Chrome on Designer Series™ DSG-86000 Gradient Sink in Corian® Glacier White with cabinet style enclosure in Wilsonart® Neo Walnut laminate.

Shown opposite: Optima EAF-700 Faucet and ESD-700 Soap Dispenser in Polished Chrome on SS-3306 Wall-mounted Ledgeback Lavatory.

## Optima<sup>®</sup> EAF-700/EAF-750 Series Faucets and ESD-700 Soap Dispenser

Complete your restroom's aesthetic with classic faucet forms paired with our reliable IR sensor technology. Optima EAF-700/EAF-750 Series Faucets and ESD-700 Soap Dispensers feature timeless gooseneck curves and sturdy cylindrical bases.

All deluxe faucet and soap dispenser variations shown on page 26.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery or hardwired
- Hardwired units can use optional BT adapter for Sloan Connect® access (sold separately)

#### SOAP DISPENSER FEATURES

- Battery or hardwired (with purchase of AC adapter sold separately)
- Compatible with 1500 or 2300ml refill sizes
- Ships with 2 soap refills



### Optima<sup>®</sup> EAF/ETF/EBF Faucets and Matching ESD Soap Dispensers



Mid-height Faucet EAF-200 Hardwired EAF-250 Battery EAF-275 Battery + solar

*Select items available in 5 finishes Optimix®-enabled anti-scald* 

✤ Bluetooth with adapter



Executive Mid-height Faucet EAF-225 Hardwired With illuminated temperature indicator Available in Polished Chrome



Soap Dispenser ESD-2000 Battery Available in 5 finishes



ESD-2001 Combination Includes EAF-275-ISM Faucet and ESD-2000 Soap Dispenser Available in Polished Chrome



Mid-height Faucet EAF-100 Hardwired EAF-150 Battery

Available in Polished Chrome

\* Bluetooth with adapter



Soap Dispenser ESD-1500 Battery Available in Polished Chrome



ESD-1501 Combination Includes EAF-150-ISM Faucet and ESD-1500 Soap Dispenser

Available in Polished Chrome



Mid-height Faucet EAF-300 Hardwired EAF-350 Battery

*Select variations available in Graphite* 



Top-fill Soap Dispenser ESD-360 Hardwired with plug or battery Available in Polished Chrome



Mid-height Faucet ETF-880 Hardwired EBF-187 Battery or battery + turbine Available in Polished Chrome

✤ Bluetooth-enabled



Wall-mount Faucet ETF-800 Hardwired EBF-850 Battery or battery + turbine Available in Polished Chrome

✤ Bluetooth-enabled



Mid-height Faucet ETF-80 Hardwired EBF-85 Battery or battery + turbine

Available in Polished Chrome

**\*** Bluetooth-enabled



Soap Dispenser ESD-800 Battery Available in Polished Chrome



ESD-801 Combination Includes EBF-85 Faucet and ESD-800 Soap Dispenser Available in Polished Chrome

## \*

**Bluetooth-enabled** refers to the technology

built directly into the hardware of the faucet.

**Bluetooth with adapter** refers to the faucet being Bluetooth capable with the addition of the Bluetooth Adapter found on page 7.



Executive Gooseneck Faucet EAF-700 Hardwired EAF-750 Battery

Available in Polished Chrome

**\*** Bluetooth with adapter



Soap Dispenser ESD-700 Battery Available in Polished Chrome



ESD-701 Combination Includes EAF-750-ISM Faucet and ESD-700 Soap Dispenser Available in Polished Chrome



Gooseneck Wall-mount Faucet

ETF-500 Hardwired EBF-550 Battery or battery + turbine

Available in Polished Chrome

✤ Bluetooth-enabled



High Gooseneck Faucet ETF-700 Hardwired EBF-750 Battery or battery + turbine Available in Polished Chrome

Bluetooth-enabled



Surgical Bend Faucet ETF-700-H Hardwired EBF-750-H Battery or battery + turbine

Available in Polished Chrome

✤ Bluetooth-enabled

## Standard

Our standard faucets include sensor operation and precise engineering at a budget-friendly price.

> Featured in the Lake Steet® Collection. Learn more at sloan.com/collections



### Sloan<sup>®</sup> SF Faucets

Bring the convenience of touch-free sensor activation to any project with Sloan SF Series Faucets and ESD-2100 Soap Dispensers. These touch-free products offer reliable IR sensors, efficient water savings, and great value.

All standard faucet and soap dispenser variations shown on page 30.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types
- Battery or hardwired

Shown above: Sloan SF-2300 Faucet on SS-3065 Wall-mounted Ledgeback Lavatory with SS-27 Shroud.

Shown opposite: Sloan SF-2150 Faucet and ESD-2100 Soap Dispenser in Polished Chrome on SloanStone® ELRF-83000 Round Front Sink in SloanStone White with custom cabinet style enclosure in Wilsonart® Natural Rift laminate.

### Sloan® SF Faucets



Mid-height Faucet SF-2900 Hardwired SF-2950 Battery Available in Polished Chrome



Wall-mount Faucet SF-2800 Hardwired SF-2850 Battery Available in Polished Chrome



Low-height Faucet SF-2100 Hardwired SF-2150 Battery Available in Polished Chrome



Soap Dispenser ESD-2100 Battery Available in Polished Chrome



ESD-2101 Combination Includes SF-2150 Faucet and ESD-2100 Soap Dispenser Available in Polished Chrome



Mid-height Faucet with integrated base SF-2300 Hardwired SF-2350 Battery


Available in Polished Chrome



Mid-height Faucet SF-2400 Hardwired SF-2450 Battery Available in Polished Chrome



Gooseneck Faucet SF-2200 Hardwired SF-2250 Battery Available in Polished Chrome



# Legacy

Our original line of sensoroperated faucets.



Shown: Optima\* ETF-660 Faucet in Polished Chrome on SS-3003 Wall-mounted Lavatory.



## **Optima® ETF/EBF Faucets**

Ideal for applications that require a reliable sensoractivated faucet and efficient water savings. These products are field-tested, hard-working, and vandalresistant to keep facilities in working order — as they have with decades of service.

#### FAUCET FEATURES

- Available with 0.35 gpm/1.3 Lpm, 0.5 gpm/1.9 Lpm, 1.0 gpm/3.8 Lpm, 1.5 gpm/5.7 Lpm, or 2.2 gpm/8.3 Lpm flow rates
- Aerated, laminar, or multi-laminar spray types based on model selected
- Battery or hardwired with battery back-up
- For use with the Optima® Control Box
- Manage settings with the Sloan Connect<sup>®</sup> App



Low-height Faucet ETF-610 Hardwired EBF-615 Battery or battery + turbine

Available in Polished Chrome

Bluetooth-enabled



Soap Dispeners ESD-600 Battery Available in Polished Chrome



ESD-601 Combination Includes ETF-610 Faucet and ESD-600 Soap Dispenser

Available in Polished Chrome



Low-height Faucet with integrated base

ETF-600 Hardwired EBF-650 Battery or battery + turbine

Available in Polished Chrome

**\*** Bluetooth-enabled



Low-height Faucet with side sensor ETF-660 hardwired, with side sensor

Available in Polished Chrome

**\*** Bluetooth-enabled



Gooseneck Faucet with side sensor ETF-770 Hardwired EBF-775 Battery or battery + turbine Available in Polished Chrome

**\*** Bluetooth-enabled

		FEATURES											OPTIONS						
			Spout Type Se							Service Access		Func- tions		Matching Products		Power			
Line	Product Series	Low	Mid	High	Integrated Base	Gooseneck	Wall	Infrared	Capacitance/Proximity	Above Deck	Below Deck	Auto Water Shut-off	Line Flush	Matching Soap Dispenser	Matching Hand Dryer	Hardwired	Battery	Battery with Solar	Battery with Turbine
	EFX-100, EFX-150, EFX-175,			•				•		•		•	•	•	•	•	•	•	•
	EFX-177, EFX-180 EFX-200, EFX-250, EFX-275, EFX-277, EFX-280		•					•		•		•	•	•	•	•	•	•	•
	EFX-375, EFX-377	•						•	•	•		•	•	•	٠		•	•	•
ier	EFX-300, EFX-350, EFX-380	•						•	•		•	•	•	٠	٠	•	•	•	•
Premier	EFX-675, EFX-677				•			•	•	•		•	•	•	٠		•	•	•
	EFX-600, EFX-650, EFX-680				•			•	•		•	•	•	•	٠	•	•	•	•
	EFX-800, EFX-850, EFX-875, EFX-877						•	•				•	•	•	٠	•	•	•	•
	ETF-410, ETF-810, EBF-415, EBF-815	•					•	•			٠	•	•	•	•	•	•		•
	ETF-420, ETF-820, EBF-425, EBF-825		•				•	•			٠	•	•	•	•	•	•		•
	EAF-100, EAF-150		•					٠		•			•	•		•	•		
	EAF-200, EAF-250, EAF-275		•					•		•			•	•		•	•	•	
	EAF-225		•					•		•			•	•		•			
0	EAF-300, EAF-350		•					•		•			•			•	•		
Deluxe	EAF-700, EAF-750					•		•		•			•	•		•	•		
	ETF-80, EBF-85, ETF-880, ETF-187		•					•			•	•	•	•		•	•		•
	ETF-500, EBF-550					•	•	•			•	•	•			•	•		•
	ETF-700, EBF-750, EBF-755, ETF-700-H, EBF-750-H					•		•			•	•	•			•	•		•
	ETF-800, EBF-850						•	٠			٠	•	•			•	•		•
	SF-2100, SF-2150		•					٠			٠			•		•	•		
	SF-2200, SF-2250					•		•			•					•	•		
Standard	SF-2300, SF-2350		•		•			•			•					•	•		
Stan	SF-2400, SF-2450			•				٠			٠					•	•		
	SF-2800, SF-2850						•	٠			٠					•	•		
	SF-2900, SF-2950		•					•			•					•	•		
	ETF-610, EBF-615	•						•			•	•	•	•		•	•		•
Legacy	ETF-600, EBF-650	•			•			•			•	•	•	•		•	•		•
Leg	ETF-660	•						•			•	•	•			•	•		•
	ETF-770, EBF-775					•		•			•	•	•			•	•		•

OPTIONS															CODES											
Finishes & Engraving Flow Rates*								T	Spray ypes	/	Trim Plate	Temperature Mixing Technolog								Compliance						
Brushed Nickel	Brushed Stainless	Graphite	Polished Brass	Polished Chrome	Engraving	0.35 gpm/1.3 Lpm	0.5 gpm/1.9 Lpm	1.0 gpm/3.8 Lpm	1.5 gpm/5.7 Lpm	2.2 gpm/8.3 Lpm	Aerated	Laminar	Multi-Laminar	4" or 8"	Above-Deck Handle	Bak-Chek Tee	Below-deck Manual or Thermostatic Mixer	Integrated Side Mixer	Optimix <sup>®</sup> Integrated Thermostatic Mixer	Guided Handwashing	Sloan Connect® Capable - Integrated	Sloan Connect Capable - Adapter***	ADA, CalGreen, and CEC	ВАА	LEED v4	ASSE 1070
				•	•		•		•		•	•	•	•		•	•	•		•		•	•			
•	•	•	•	•	•		•		•		•	•	•	•		•	•	•		•		•	•			
				•	•		•		•		•	•	•	•		•	•	•		•		•	•			
				•			•		•		•	•	•	•		•	•	•		•		•	•	•		
				•			•		•		•	•	•	•		•	•	•		•		•	•			
				•			•		•		•	•	•	•		•	•	•		•		•	•	•		
•	•	•	•	•		•	•		•		•	•	•	•		•	•			•	•		•			
•	•	•	•	•		•	•						•	•		•	•				•		•			
				•		•	•	•	•		•		•	•		•	•	•				•	•		•	
•	•	•	•	•		•	•	•			•	•	•	•		•	•	•	•			•	•		•	•
				•		•	•				•	•	•	•		•	•	•				•	•		•	
		•		•		•	•				•	•	•	•		•	•	•				•	•		•	
				•		•	•	•	•			•	•	•		•	•	•				•	•		•	
				•		•	•	•	•	•	•	•	•	•	•	•	•				•		•		•	
				•		•	•	•	•	•		•	•		•	•	•				•		•		•	
				•		•	•	•	•	•		•	•	•	•	•	•				•		•		•	
				•		•	•	•	•	•		•	•	•		•	•				•		•		•	
				•		•	•				•	•	•	•		•	•						•		•	
				•		•	•	•	•	•	•	•	•	•		•	•						•		•	
				•		•	•				•	•	•	•		•	•						•		•	
				•		•	•				•	•	•			•	•						•		•	
				•		•	•				•	•	•	•		•	•						•		•	
				•		•	•	•	•	•	•	•	•		•	•	•				•		•		•	
•	•	•	•	•		•	•	•	•	•	•	•	•			•	•				•		•		•	
				•		•	•	•	•	•	•	•	•	•	•	•	•				•		•		•	
				•		•	•	•	•	•	•	•	•	•	•	•	•				٠		•		•	



Front cover: Optima® ETF-410 Faucet and ESD-410 Soap Dispenser in Graphite on Designer Series™ DSOF-84000 Open Front Sink in Corian® Deep Cloud with cabinet style enclosure in Wilsonart® Blackbird laminate.

Back cover: Optima ETF-420 Faucet and ESD-420 Soap Dispenser in Polished Brass on SloanStone<sup>®</sup> ELGR-82000 Gradient Sink in SloanStone White with custom cabinet style enclosure in Wilsonart Sumner Oak laminate.



#### **World Headquarters**

10500 Seymour Avenue Franklin Park, IL 60131 U.S.A. 800.982.5839 sloan.com

#### **Follow Sloan**

f /sloanvalvecompany
✓ @sloan
Ø @sloan

Ø /sloan\_valve

in /sloan-valve-company

©2022 Sloan Valve Company. All Rights Reserved.