

CODE NUMBER

3335100

DESCRIPTION

Plug Adapter Power Supply, Mixer Not Included, Polished Chrome Finish, 1.0 gpm, Multi-Laminar Spray, Infrared Sensor, Optima® Hardwired-Powered Deck-Mounted Mid Body Faucet.

DETAILS

- Flow Rate: 1.0 gpm (3.8 Lpm) (1.0GPM)
- Spray Type: Multi-Laminar (MLM)
- Sensor Type: Infrared
- Mounting Type: Single Hole
- Power Supply: Plug Adapter (PLG)
- Temperature Mixer: Mixer Not Included
- Finish: Polished Chrome (CP)
- Factory Default Timeout: 30 seconds
- Factory Default Gallons per Cycle: 0.5

FEATURES

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, Cast Brass Hand Washing Faucet with the following features:


- Double Infrared Sensors with Automatic Setting Feature and Microprocessor
- Magnetic Mono-stable Solenoid Valve
- Water Supply Connection with Flexible High-pressure Hoses and Strainers
- Diagnostics On-board
- Programmable Time-Outs
- Welcome Light Function
- Lighted Rainfall Water Stream
- Lighted Temperature Adjustment Buttons
- Appropriate Mounting Hardware included
- 120 VAC/12 VDC Plug-in Voltage Adapter
- IQ-Click feature permits activation of continuous run and temporary off modes

ELECTRICAL SPECIFICATIONS


- Sensor Range: 4" - 5" (102 - 127mm)
- Timeout Adjustment Settings: 30s

DOWNLOADS

- [EAF 900 Installation Instructions](#)
- [EAF-900 Repair & Maint Guide](#)



COMPLIANCES & CERTIFICATIONS



(ADA Compliant, ASME A112.18.1 Compliant, CEC Compliant, cUPC Certified, cUPC Low Lead Compliant, EPD, HPD, IAPMO, Proposition 65, TAS, UPC Certified, UPC Low Lead Compliant, WaterSense Listed, WELL Building Standard)

NOTES

All information contained within this document subject to change without notice.

[Find a matching soap dispenser](#) for this faucet.
[Find a compatible sink](#) for this faucet.



WARRANTY

[View Warranty Information](#)

ROUGH-IN

EAF-900 with Hot and Cold Water Supply

